

0

# PREVIOUSLY-OWNED BIHLER MACHINES

Completely refurbished, to like-new condition



## A cost-efficient option

Whether you decide to purchase a reconditioned Bihler Bihler wants this history of success to continue into machine, or you decide to have your "old" Bihler machine the future, so we give our used machines a complete overhauled, you will realize great savings either way.

For over sixty years, Bihler stamping and forming ma- ment in performance, and greater precision. and durability.

makeover, using the latest technology that is found in our new machines. The net results: decisive improve-



Exchange and trade-in of your used Bihler machine is available at attractive terms.

CE compliance with optional full enclosure for noise and operator protection.



### Here are just some of the benefits of these upgrades:

- Machine performance and accuracy are restored
- Mechanical and electrical systems are overhauled (Partial reconditioning is available, even on-site)
- Reconditioning is done to the very highest quality standards by Bihler experts
- Only Bihler original spare parts are used
- Machines are fitted with the latest Bihler VC 1E controller technology
- Start-up is done on your premises
- Machines are CE compliant, with optional full enclosure providing noise and operator protection
- Excellent price-performance ratio
- 12-month manufacturer's warranty
- Customized support: fast spare parts service,
- comprehensive support and training, maintenance and repair service



### **Current offers**

Browse reconditioned Bihler machines and peripherals that are

### Complete reconditioning includes:

- Dismantling
- Full cleaning
- Sandblasting and priming
- New pipe work and wiring
- Reconditioning of all modules feed, press, slide, central mandrel, etc.
- Assembly of drive unit
- Repainting
- Final assembly of machine and wiring
- Test run, and machine acceptance



#### Leading-edge control technology

The Bihler process control VariControl VC 1E improves the performance of your used machine, offering userfriendly operation and programming of individual input and output modules, via the 15 TFT touchscreen and other operating controls.

The VC 1E can control up to 6 NC axes. If required, the control unit can be expanded by a maximum of 16 analog measuring channels, enabling you to access new production potential, and to increase process reliability significantly.

Otto Bihler Maschinenfabrik GmbH & Co. KG Lechbrucker Str. 15 87642 Halblech GERMANY Tel.: +49(0)8368/18-118 Fax: +49(0)8368/18-105 used.machines@bihler.de

www.bihler.de